

DA40 SERIES AIRBORNE INNOVATION



DA40 VARIANTS



DA40: FOUR SEAT VERSATILITY

Whether you are a new aviator looking for the perfect first airplane, an experienced IFR pilot with discerning tastes or a forward thinking flight school, the DA40 is the smart choice. The durable composite airframe, ultra low fuel burn and superb handling make the DA40 a great airplane for travel, leaseback, and training alike.




(Images from top to bottom) DA40 NG, DA40 Tundra Star, DA40 XLT Lycoming.


DA40 AT A GLANCE:

- 4 seats / big baggage space ▪ Superb visibility
- Durable Composite Airframe ▪ Superior Stability and Control
- Garmin G1000 NXi ▪ Super low fuel burn Jetfuel turbocharged
- AE300 Engine or Lycoming IO360M1A

DA40 NG KEYFACTS:



DA40 XLT KEYFACTS:



“Taking delivery of a brand new DA40 NG was a dream come true. I have been the happy owner of a DA42 and had long wanted to add a sister single engine plane alongside the twin - for my owner-run rental business. I took the plunge and ordered the DA40 NG. She is beautifully designed, and has a character that shows through as you warm her up, playfully waiting to launch herself into the world. This plane soars rather than just takes off. In her short time in the UK, she has been all over Europe, including down as far as Portugal, and has won many fans.”

Sue Bell, DA40 NG and DA42 owner, UK

DA40 NG



A NEW GENERATION

The DA40 NG is an all round practical and versatile multiuse four seat airplane for the 21st century. Combining the best qualities of its venerable predecessors, the DA40 NG does it all, with a modern twist. Personal flying, instruction, cross country transportation, the DA40 NG offers a unique blend of practicality, performance, value and operating economy.



PROPULSION

The turbocharged 168 HP Austro AE300 jet fuel piston engine powers the DA40 NG, with technology not available in any other aircraft in class. It starts easily under all conditions, hot and cold alike, uses less than 8.5 gph at maximum continuous power and only 5.5 gph in a typical flight training environment, while delivering excellent cruise performance and sprightly climbs, thanks to turbocharging that maintains full power to 14,000'. It is turbine smooth, quiet and the most fuel efficient way to fly. The single power lever and redundant digital engine control offer ultimate reliability and ease of operation. It is as simple as it gets and lets you focus on flying.



The DA40 NG is the ultimate development of this popular single, incorporating the experience gained in several million hours of operation and years of service under the harshest of conditions. Its defining feature, the turbocharged AE300 jetfuel piston engine, elevates the DA40 to a new level. While the industry searches for solutions to replace leaded AVGAS 100LL, Diamond's DA40 NG sidesteps the issue by use of the most widely used aviation fuel, Jetfuel. Not only is Jetfuel leadfree, it is also lower cost, available globally, and less flammable than gasoline. Best of all, the DA40 NG, with its Austro AE300 turbocharged engine and aerodynamically efficient design, uses far less fuel than any comparable airplane.



Private owners will delight in the performance, handling, high quality finish, luxurious interior, thoughtful details and comfort features that make the DA40 such a pleasure to fly.

Commercial operators and leaseback owners will appreciate the ramp appeal, the reliability and low overall lifecycle cost.

DA40 TUNDRA STAR



ROUGH TERRAIN LANDING GEAR

Made out of proven light-weight and solid composite material and powered with a 168 hp state-of-the-art AE300 jet fuel engine from Austro Engine, the DA40 Tundra Star is equipped with all the advantages you love in its sister aircraft DA40 NG. But equipped with a special rough terrain landing gear you can explore all the uneven strips and terrains you ever wanted to. Bigger wheels on the main and nose landing gears, an improved wheel base, new rims, as well as special reinforcements and tougher structures give you the safety to land almost anywhere.



DESIGNED FOR ROUGH CONDITIONS

You want to explore the great outdoors or are a flight school surrounded by rough terrain and don't want to miss all the benefits of a modern aircraft with an impressive performance and range? Then the DA40 Tundra Star is your choice. The aircraft is equipped with a beefed-up landing gear and oversized tires. The all-new tricycle landing gear is able to withstand high stress of landings, enduring holes, ruts, and other irregularities. This makes the airplane very easy to handle on the ground. Furthermore, the AE300 jet fuel engine can use a range of different fuels, from Jet A-1, Jet A, and TC-1 to PT, giving you greater deployment flexibility.



„The cabin is fairly comfortable and is equipped with the communication system between the passengers and the pilot what is essential for the trace adjust during the flight. Modern navigation aid and auto-pilot enable the crew to retain the heading and the height, to make modifications during the flight. The aeroplane DA40 is constructed in such a way that the minimum flying speed makes about 170 km/h, which is considered to be a comparatively high criteria under the conditions of Yakutia. To our minds the aircraft can be successfully implemented to carry out the aerial survey of DSO under the conditions of the vast tundra.“

Director, E.F. Antono

DA40 XLT



GREAT FOR TRAVELING AND TRAINING

The DA40 XLT is the ultimate development of this popular single, incorporating the experience gained in several million hours of operation and years of service under the harshest of conditions. While it cannot match the absolute fuel efficiency and economy of its Austro powered stablemates, the DA40 XLT's aerodynamically efficient airframe extracts a level of performance out of its 180hp Lycoming engine, normally associated with higher horsepower.



POWERED BY LYCOMING

The fuel injected normally aspirated Lycoming IO360M1A is the most advanced development of the long serving Lycoming 180 hp O/IO360 family. Installed in the DA40, the 180hp engine drives a choice of composite and metal constant speed 2 blade propellers by Hartzell or a 3 blade propeller by MT, offering each customer the choice of maximum performance, durability and value. The Lycoming IO360, delivers smooth and refined performance, has amassed millions of flight hours in high utilization operations worldwide, is familiar to A&P's everywhere and consistently reaches TBO and beyond.




„I sat in a lot of planes before making my decision. My DA40 feels a lot like a European sports car. When you sit in a Porsche and you touch or reach for something, it's so well designed that it feels like someone really paid attention to all the details, right down to the font used on the speedometer. I feel as though my Diamond is like that – a talented team really put a lot of thought into it. They started with a new idea, and each piece feels well considered and thought out.“

Colin Summers, DA40 Owner,
California



GARMIN G1000 NXI AND GFC700 AUTOPILOT

Once you fly the Garmin G1000 NXi cockpit and its optionally integrated Garmin GFC700 digital autopilot on the DA40 NG, you will not want to fly anything else. The Garmin G1000 NXi glass cockpit is the definite industry standard and equivalent to the avionics used in modern Airliner cockpits, a tremendous benefit for Flight Training Schools as it eases the transition of pilots from trainer aircraft cockpits to the modern airline environment. The Garmin GFC700 digital autopilot is significantly more precise than analogy systems - a pilot's dream. More integration, more functionality, more precision, better reliability – it all adds up to reduced pilot workload and better safety.



UNMATCHED SAFETY RECORD

The DA40's industry-leading safety record is the result of Diamond's commitment to protecting occupants with a vast array of both active and passive safety features. Active safety features include stable handling at low speeds, short take-off and landing distances, superior visibility and state-of-the-art avionics. Passive safety features such as aluminum fuel cells protected by the DA40's dual carbon fiber spars, help prevent post impact fires, a 26G rated safety cell cockpit and a host of other built in features help keep you safe should the unexpected happen. As a result, the DA40 line tops the general aviation list with both the lowest overall and fatal rates (Source: Aviation Consumer January 2012).



When it comes to safety, positive results are what really matter most. Diamond has earned a safety record, backed by real world data, that is second to none.

DIAMOND FLIGHT TRAINING



LESS FUEL - MORE FLIGHT HOURS

Diamond aircraft burn up to 50% less fuel due to aerodynamic efficiency and fuel-saving jet fuel engines. You can benefit from additional cost savings through lower fuel prices for jet fuel.

NO. 1 IN SAFETY IN GENERAL AVIATION

Safety is critical to any business. Diamond has earned a safety record, backed by real world data, that is second to none. To learn more about our safety obsession visit our website at: www.diamondaircraft.com/about-diamond/why-diamond/safety

WE CARE ABOUT THE ENVIRONMENT

Diamond and Austro Engine invested a lot of time and money to bring new engines into aviation, which are environmentally acceptable, fuel-saving and exceptionally silent.

PROPRIETARY JET FUEL ENGINE

No manual mixture control, no magneto ignition, no manual priming, no prop control lever, no hard starting – hot or cold, no manual runup tests, no shock cooling, no cowl flaps, no power calculations based on rpm and manifold pressure. More efficiency in every regard.

MODERN AVIONICS

Back in 2001, Diamond Aircraft was the first to commit to GARMIN's - then top secret - fully integrated G1000 glass cockpit. The today's G1000 NXi, similar to those used in large airliners, offers unparalleled situational awareness and flight monitoring.

MODERN AIRFRAME

Made out of robust and strong glass and carbon fiber composite material, our safety cell meets high standards that are unique in our industry. Our rugged airframes have an unlimited lifetime and guarantee a high resale price.

YOUR PERFECT MARKETING TOOL: 21ST CENTURY APPEAL

With Diamond Aircraft you'll be part of the future. Planes certified according to 21st century aviation standards and not according to the "old days".



DIAMOND SIMULATOR
FNPT II



AUSTRO ENGINE AE300
JET-A1 PISTON ENGINE



PILOT + MAINTENANCE
TRAINING



GARMIN G1000 NXi
COCKPIT

SOLE SOURCE PROVIDER
Diamond got you covered: From the right aircraft and flight simulators to match any of your missions to the proprietary jet fuel engine it is fitted with, the glass cockpit to pilot training and EASA Part-147 certified maintenance training in their own ATO (Approved Training Organisation).



MEP: DA42-VI



SEP: DA40 NG
DA40 XLT



SEP: DA20i KATANA
DA20 C1

EXTERIOR STYLING



EXTERIOR STYLING: TWISTER



Color combination 1	Color combination 2	Color combination 3
Blue Light Onyx Silver	Carmin Red Light Onyx Silver	Springtime Green Light Onyx Silver

EXTERIOR STYLING: WAVE



Color combination 1	Color combination 2	Color combination 3
Cobalt Blue Diamond	Opal Red Diamond	Springtime Green Diamond

EXTERIOR STYLING: STRIPES



Color combination 1	Color combination 2	Color combination 3
Light Blue Black	Red Gold	Silver Anthracite

CUSTOMIZED EXTERIOR STYLING

Diamond Aircraft is able to provide the ideal custom-made solutions for exterior films.




Choose any striping colour and design you wish or let it fit your company branding.

INTERIOR DESIGN




HIGH STANDARD / GREY-BROWN

INTERIOR MATERIAL: SEATS




Genuine leather



Functional leather

INTERIOR MATERIAL: LINING



Ceiling




Carpet

INTERIOR PAINT



- Ultra light interior materials
- Hand made, high-quality upholstery
- Climate-controlled seats
- Flame resistant interior materials
- Optional: Comfort through stageless adjustable seats



Make the DA40 360° Tour:
<http://vrcloud.com/ar1887>

SALES UNITS




DA40 variants in global operation

(Year 2003 - 2024)

North America	1095+ Units
Latin America	40+ Units
Europe	530+ Units
Middle East / Africa	145+ Units
CIS States	165+ Units
Asia and Pacific	775 Units

**WORLDWIDE
2,760+ UNITS**

With more than 2,760 Diamond DA40's in worldwide service today, a big number in high utilization commercial operations, the DA40 fleet is proving its durability and safety, day in and day out, every day.



DA40 RANGE



DA40 NG RANGE


POWER: 45% (white circle on map)
Range: 985 nm (1,824 km)
Time: 9.8 hrs
Speed: 101 kts (187 km/h)
Consumption: 4 gal/h (15 l/h)

POWER: 92% (light blue circle on map)
Range: 724 nm (1,340 km)
Time: 4.7 hrs
Speed: 154 kts (285 km/h)
Consumption: 8.3 gal/h (31.5 l/h)

DA40 XLT RANGE

POWER: 45% (yellow circle on map)
Range: 939 nm (1,740 km)
Time: 8.6 hrs
Speed: 109 kts (202 km/h)
Consumption: 5.8 gal/h (21.9 l/h)

POWER: 75% (orange circle on map)
Range: 740 nm (1,370 km)
Time: 5.4 hrs
Speed: 137 kts (254 km/h)
Consumption: 9.2 gal/h (34.8 l/h)



The above data are approximately specifications and may change without notice.
Range calculation does not consider additional fuel consumption for taxi, take-off, climb, descend or reserve.

DA40 NG FACTS AND SPECIFICATIONS



POWER PLANT

Engine	Austro Engine AE 300 turbocharged common-rail injected 2.0 liter diesel engine with 168 HP and EECU single lever control system	
Propeller	MT propeller MTV-6-R/190-69 3-blade constant speed propeller	
Fuel grades	Jet A-1, Jet A, TS-1 (Russia, Ukraine), RT (Russia, Ukraine), No. 3 Jet Fuel (China), JP-8	

DIMENSIONS / MASS / LOADING

Length	8.06 m	26 ft 5 in
Height	1.97 m	6 ft 6 in
Wingspan	11.63 m	38 ft 2 in
Seats	4	4
Empty weight without options	903 kg	1,991 lbs
Max. useful load	407 kg	897 lbs
Max. take-off mass	1,310 kg	2,888 lbs
Fuel capacity total (usable fuel)	147.6 lt / 118 kg	39 US gal / 260 lbs
main tank	106 lt / 84 kg	28 US gal / 185 lbs
auxiliary tank	41.6 lt / 34 kg	11 US gal / 75 lbs

PERFORMANCE (MTOM, ISA)

Max. cruise speed (16,000 ft, MCP)	285 km/h TAS	154 kts TAS
Cruise speed at 60% (14,000 ft)	230 km/h TAS	124 kts TAS
Stall speed, landing configuration	107 km/h CAS	58 kts CAS
Max. rate of climb (MSL)	3.3 m/s	651 ft/min
Max. range (FL160, 50% PWR) incl. climb, no reserves	1,730 km	934 nm
Range at 60% (incl. long range tanks, 14,000 ft) incl. climb, no reserves	1,698 km	917 nm
Fuel consumption at 60%	19.3 lt/hr	5.1 US gal/hr
Take-off performance (MSL, ground roll / take-off obstacle)	397 m / 590 m	1,302 ft / 1,935 ft
Landing performance (MSL, ground roll / landing distance)	318 m / 650 m	1,043 ft / 2,132 ft
Max. operating altitude	5,000 m	16,400 ft
Max. demonstrated crosswind	46 km/h	25 kts

Specifications apply to standard equipped aircraft, if not otherwise stated. The above data are approximately specifications and may change without notice.

DA40 XLT FACTS AND SPECIFICATIONS



POWER PLANT

Engine	Lycoming IO-360 M1-A AVGAS Piston Engine with 180 HP
Propeller	Hartzell 2-blade metal constant speed propeller or Hartzell 2 blade composite constant speed propeller or MT 3-blade constant speed propeller
Fuel grades	AVGAS / 100LL / 100 / 130LL

DIMENSIONS / MASS / LOADING

Length	8.01 m	26 ft 3 in
Height	1.97 m	6 ft 6 in
Wingspan	11.94 m	39 ft 2 in
Seats	4	4
Empty weight without options	792 kg	1,746 lbs
Max. useful load	408 kg	900 lbs
Max. take-off mass	1,200 kg	2,646 lbs
Fuel capacity total (usable fuel) with long range tanks	189 lt / 136 kg	50 US gal / 301 lbs

PERFORMANCE (MTOM, ISA)

Max. cruise speed (MSL, MCP)	263 km/h TAS	142 kts TAS
Cruise speed at 75% (6,000 ft)	254 km/h TAS	137 kts TAS
Stall speed, landing configuration	96 km/h IAS	52 kts IAS
Rate of climb (MSL)	4.0 m/s	780 ft/min
Max. range (10,000 ft, 55% PWR, best eco) no climb, no reserves	1,569 km	847 nm
Fuel consumption at 65% (6,000 ft)	31 lt/hr	8.2 US gal/hr
Take-off performance (MSL, ground roll / take-off obstacle)	305 m / 450 m	1,000 ft / 1,476 ft
Landing performance (MSL, ground roll / landing distance)	290 m / 620 m	951 ft / 2,033 ft
Max. operating altitude	5,000 m	16,400 ft
Max. demonstrated crosswind	37 km/h	20 kts

Specifications apply to standard equipped aircraft, if not otherwise stated. The above data are approximately specifications and may change without notice.

AVIATION AS UNIQUE AS YOU ARE



NORTH & SOUTH AMERICA, AUSTRALIA, NEW ZEALAND:

1560 Crumlin Sideroad, London, ON, Canada, N5V1S2
Phone: +1 800 268 4001, sales-canada@diamondaircraft.com

EUROPE, MIDDLE EAST, AFRICA, ASIA (HQ):

N. A. Otto-Strasse 5, 2700 Wiener Neustadt, Austria
Phone: +43 2622 26700, sales-austria@diamondaircraft.com

CHINA:

Wanfeng Airpark, Dashiju Town
Xinchang County, Zhejiang Province, P. R. China

www.diamondaircraft.com



www.facebook.com/diamondaircraftind



www.instagram.com/diamondaircraftind



www.youtube.com/diamondaircraftmedia

#WeFlyDiamondAircraft



www.linkedin.com/company/diamond-aircraft



www.twitter.com/diamondaircraft

All specifications, weights, representations, colors, equipment, use of materials and model references provided herein are for purely illustrative purposes and legally non-binding, subject to alterations and not warranted or guaranteed to be true or accurate. Actual useful load will vary depending on options installed on the aircraft. Any and all information given in this brochure cannot exempt the person operating the aircraft to use actual data for flight planning. The aircraft and/or product, and the chosen optional equipment (if any) shall meet exclusively the characteristics and specifications as defined and agreed in the written agreement with Diamond Aircraft Group. Referenced Diamond Aircraft trademarks are owned by Diamond Aircraft Industries GmbH or its subsidiaries. All other brands, product names, company names, trademarks and service marks are the properties of their respective owners. All rights reserved. ©2025, Diamond Aircraft Industries GmbH. For additional information on Diamond Aircraft and its products please visit www.diamondaircraft.com. 09/2025 S_30602E